### CATALOGUE AND SYNONYMY

OF THE

# Genera, Species and Varieties

## RECENT MOLLUSCA,

Described prior to January 1st, 1867,

With Dates of Publication, References to Plates, and Localities.

Compiled and published under the authority of the Conchological Section of the Academy of Natural Sciences of Philadelphia.

Part 4.

ORCHIJANIDAS III BY S. R. ROBERTS.

Issued november 1869

OCT 21 1939

OPHELALELPHIA:

CONCHOLOGICAL SUCTION OF THE ACADEMY OF NATURAL SCIENCES.

NEW YORKSPOT I Bailliere Brothers, No. 520 Broadway.

BOSTON: Little, Brown & Co.

Probner & Co., No Bo Paternoster Row.

PARIS: J. B. Bailliere et Fils, Rue Hautefeuille. MADRID: C. Bailly-Bailliere, Calle del Principe.

Asher & Co., No. ter d. Linden.



## CATALOGUE AND SYNONYMY

OF THE

# Genera, Species and Varieties

## RECENT MOLLUSCA,

Described prior to January 1st, 1867,

With Dates of Publication, References to Plates, and Localities.

Compiled and published under the authority of the Conchological Section of the Academy of Natural Sciences of Philadelphia.

dare suttes, s in i houper rates than utifies.

Part 4

PORCELLAND BY S. R. ROBERTS.

Issued Vovember, 1869.

rice cts

OCT 21 1939

CPH BUALET PHIA

CONCHOLOGICAL SECTION OF THE ACADEMY OF NATURAL SCIENCES.

NEW YCRRAPOT I

BOSTON: Little, Brown & Co.

LOIDON: Trobner & Co., No. 10 Paternoster Row.

PARIS: J. B. Bailliere et Füs, Rue Hautefeuille. MADRID: C. Bailly-Bailliere, Calle del Principe.

Asher & Co., No. ter d. Linden.

#### TERMS.

Subscriptions will be received at the following rates for each 16-page form. payable on delivery:

Weonly.

To one address. 2 copies. 3 copies.

.27,

.18,

.22,

5 copies.

5 copies

.35.

.50.

To subscribers to the whole Catalogue To subscribers to any portion, such Land Shells, Fresh-water Shells, He

lix, Cypræa, or any family or genus 132

\*\* Special and very liberal with will be made with gentlemen who may require a large number of courses of ir exchanges, etc.

The following estimate is probably at 15 cimately correct: Entire Catalogue, 2500 pp., 50 feet hells, 1000 pp., \$20. Fresh-water Univalves, 250 pp., \$5. Fres a water Five yes, 150 pp., \$3. Marine Shells, 1100 pp., \$22.

#### LABELS.

For 100, if the whole are subs for (generic and specific), For 100, for separate familie genera, Per 100, for selected species,

generic labels only, . . Per 100, for blank labels, for w the names of additional species

\*\*\* It will be noticed that the latter arrow ement gives purchasers the advantage of selecting, besides er are a lates, so the additional labels as they may require; all of them at much case rates han the mer blank labels would cost when printed in small quantity

A discount of 20 per cent. wa Section, to booksellers, and to Mator at 1850

Address

Or,

BAILLIERE TRÜBNER & J. B. BAILLE C. BAILLY. ASHER &

\*\* All booksellers, secretaries or of Natural History journals, are autoor the sale of this work, -and will receive prices, on all orders they may transmit

To one address. 2 copies. 3 copies.

.40,

.60;

.45,

.67,

in and to members of the Conchological dealers.

CATION COMMITTEE, Concholagizal Section Acad. Nat. Sci.,

and Sanson Sts., Philadelphia

Broudway, New York. rnoster Row, London. Rue Hautefeuille, Paris. Galler del Principe, Madrid. Linden, Berlin.

s of scientific societies, and editors and requested to act as agents for discount of 10 per cent. from the



JUL 20 1939

THSONIAR INS

Catalog and synonymy of the Pennymuseur of ar varieties of recent Mollusca described prior to January 1st 1867/

## CATALOGUES

OF THE

#### FAMILIES

## PORCELLANIDÆ AND AMPHIPERASIDÆ.

By S. R. ROBERTS.

It has been the aim of the writer, in the compilation of these Catalogues, as far as possible to recognize the services of old authors wherever they were binomial. This will meet with some opposition, especially from those who wish to adhere to the rules laid down by certain Associations, which ignore the claims of all Authors prior to Linnæus.

The families have been subdivided according to H. and A. Adams; although but little importance can be attached to some of these subdivisions; yet as they serve to lessen the labor in arranging the Catalogues, they are here adopted. Some difficulty has been experienced regarding dates of publication, especially where the monographs were published in parts. As an illustration, Kiener's Monograph was published in this manner, no dates being given to indicate when each part was issued. When these dates are known correctly, some of his species may have priority. Sowerby's Monograph in Conch. Illus. was completed in 1837, and that date has been taken for his species in some cases.

The writer here returns thanks to Messrs. John G. Anthony, G. W. Tryon, Jr., and others, who have aided him in compiling these Catalogues, and to Mr. John H. Redfield, who has made some valuable additions to

the geographical distribution of the species.

#### MONOGRAPHS REFERRED TO:

C. Ic. = Reeve's Conchologia Iconica.
C. Ill. = Sowerby's Conchological Illustrations.
Thes. = Sowerby's Thesaurus Conchyliorum.
Coq. Viv. = Kiener's Coquilles Vivantes, &c.

### Family PORCELLANIDÆ.

Genus PORCELLANA, Rumph.

Amb. Rarit. p. 113, 1705. Klein, Tent. Method. p. 83, 1753. Cypræa, Linn., Syst. Nat. p. 1172, 1767.

- P. argus, Rumph., Amb. Rarit. pl. 38, f. D, 1705.
   C. argus, Linn., Syst. Nat. p. 1173, (12th ed.) 1767. C. Ic. pl. 3, sp. 8. C. Ill. f. 25. Coq. Viv. p. 77, pl. 37, 38, f. 1.
   Indian Ocean and Malayan Archipelago.
- P. aselli, Rumph., Amb. Rarit. pl. 39, f. M, 1705.
   C. asellus, Linn., Syst. Nat. p. 1178, 1767.
   C. Ic. pl. 18, sp. 98.
   C. Ill. sp. 61, f. 93, Coq. Viv. p. 93, pl. 31, f. 3.
   Indian Ocean and Malayan Archipelago.
- P. carneola, Rumph., Amb. Rarit. pl. 38, f. K, 1705.
   C. carneola, Linn., Syst. Nat. p. 1174, 1767. C. Ic. pl. 6, f. 19. C. Ill. sp. 14, f. 165. Coq. Viv. p. 83, pl. 37, f. 3.
   C. crassa, Gmel., Syst. Nat. p. 3421, 1788.
   C. Otaheitensis, Sch. et. Wag. p. 108, pl. 228, f. 4029-30, 1829.
- 4. P. cervinetta, Kien., Coq. Viv. p. 74, pl. 6, f. 1, 2, ——?

  Mazatlan—Panama.
- 5. P. cervus, Linn., Mantissa, p. 548, 1771. C. Ic. pl. 2, sp. 6. C. Ill. sp. 22, f. 175. Coq. Viv. p. 72, pl. 2, 3, f. 1.

C. occulata, Gmel., Syst. Nat. p. 3403, 1790.

C. cervina, Lam., An. sans Vert. vii, p. 375, 1822.

Panama, Pacific Ocean.

6. P. chrysalis, Kien., Coq. Viv. p. 92, pl. 54, f. 4.

Hab.—?

- 7. P. clara, Gask., Proc. Zool. Soc. p. 13, 1851. Hab.—?
- 8. P. cribellum, Gask., Proc. Zool. Soc. p. 22, 1849.

  Mediterranean.
- 9. P. Crossei, Marie, Jour. de Conch. xvii, p. 16, pl. 1, f. 3, Nouméa.
- 10. P. cylindrica, Born., Mus. p. 184, pl. 8, f. 10, 1780.
  C. Ic. pl. 14, sp. 64.
  C. Ill. sp. 74, f. 101.
  Coq. Viv. p. Philippines.
- 11. P. Erythræensis, Beck MSS. C. Ic. pl. 14, sp. 63, 1845. C. Ill. f. 161. Zanzibar.

12. P. exanthema, Linn., Syst. Nat. p. 1172, 1767.

C. Ic. pl. 5, sp. 16. C. Ill. sp. 21, f. 170. Coq. Viv. p. 71, pl. 4, 5, f. 1.

C. zebra, Linn., Syst. Nat. p. 1174.

C. plumbea, Gmel., Syst. Nat. p. 3403, 1790.

C. bifasciata, Gmel., Syst. Nat. p. 3405.

C. dubia, Gmel. Syst. Nat. p. 3405. West Indies.

- P. exusta, Sowb., C. Ill. sp. 25, f. 2\*, 1837.
   C. Ic. pl. 2, sp. 4. Coq. Viv. p. 81, pl. 13, f. 1. Red Sea.
- P. felina, Gmel. (non Gray), Syst. Nat. p. 3412, 1790.
   C. Ic. pl. 19, f. 105, b. C. Ill. f. 135, 137. Coq. Viv. p. 96, pl. 33, f. 3.

  Indian Ocean.
- 15. P. fimbriata, Gmel., Syst. Nat. p. 3420, 1790.
  C. Ic. pl. 18, sp. 92. C. Ill. sp. 98, f. 138, 140. Coq. Viv. p. 98, pl. 51, f. 4.
- **16. P. fuscomaculata**, Pse., Proc. Zool. Soc. p. 515, 1865. Am. Jour. Conch. iv. pl. 11, f. 10, 11, 1868. *Central Pacific*.
- **17. P. Helenæ**, Roberts, Am. Jour. Conch. iv, p. 250, pl. 15, f. 7–10, 1868. Sandwich Islands?
- P. hirundo, Linn., Syst. Nat. p. 1178, 1767.
   C. Ic. pl. 19, sp. 104.
   C. Ill. sp. 64, f. 174.
   Coq. Viv. p. 95, pl. 32, f. 1.
   C. Owenii, Sowb.\* (non Gray,) C. Ill. sp. 64, f. 12\*\*.

Indian Ocean.

- P. interrupta, Gray, Zool. Jour. i, p. 376, 1824.
   C. Ic. pl. 19, sp. 103.
   C. Ill. sp. 63, f. 15.
   Coq. Viv. p. Philippines.
- 20. P. irrorata, Sol. MSS., Zool. Jour. iv, p. 80, 1828.
  C. Ic. pl. 22, sp. 126.
  C. Ill. sp. 82, f. 25. Coq. Viv. p. 101, pl. 57, f. 4.
- P. Isabella, Rumph., Amb. Rarit. pl. 39, f. G, 1705.
   C. Isabella, Linn., Syst. Nat. p. 1177, 1767. C. 1c. pl. 12, sp. 51. C. Ill. sp. 29, f. 98. Coq. Viv. p. 87, pl. 48, f. 3.
   C. controversa, Gray, Zool. Jour. i, p. 144; iv, p. 71, 1824.
   Indian Ocean, Sandwich Islands.
- 22. P. lurida, Linn., Syst. Nat. p. 1175, 1767.
  C. Ic. pl. 9, sp. 32. C. Ill. sp. 31, f. 82. Coq. Viv. p. 82, pl. 23, f. 1.
- 23. P. microdon, Gray, Zool. Jour. iv, p. 71, 1828. C. Ic. pl. 24, sp. 139. C. Ill. sp. 32, f. 3. Coq. Viv. p. 102, pl. 56, f. 5. Philippines.

<sup>\*</sup>This species was cancelled by the author, but as Dr. Jay has it noticed in his Catalogue, it is here inserted as a synonym.

- 24. P. neglecta,\* Sowb., C. Ill. sp. 66, f. 12,\* 1837.
   C. Ic. pl. 19, sp. 100.

  Mauritius.
- 25. P. notata, Gill, An. Lyc. N. H. vi, p. 255, pl. 9, f. 1—3, 1858. E. Indies.
- 26. P. parvula, Philippi, Zeit. fur Malak, p. 24, 1849.
- 27. P. pulchra, Gray, Zool. Jour. i, p. 143, pl. 7 & 12, f. 9, 1824.
  - C. Ic. pl. 9, sp. 34. C. Ill. sp. 28, f. 126. Coq. Viv. p. 85, pl. 15, f. 5. Red Sea, Persian Gulf.
- 28. P. pulicaria, Reeve, Proc. Zool. Soc. p. 23, 1846. Proc. Zool. Soc. p. 97, 1848. C. Ic. pl. 17, sp. 84. Hab.—?
- 29. P. quadrimaculata, Gray, Zool. Jour. i, p. 376, 1824. C. 1c. pl. 19, sp. 107. C. Ill. sp. 62, f. 88. Coq. Viv. p. 90, pl. 3, f. 3.

C. pallidula, Gask., var., Proc. Zool. Soc. p. 97, 1848.

East Indies.

- **30. P. rhinoceros,** Souv., Jour. de Conch. p. 156, pl. 5, f. 1, 1865. Caledonian Archipelago.
- **31. P. scurra,** Chem., Conch. Cab. x, p. 103, pl. 144, f. 1338, 1788.
  - C. Ic. pl. 11, sp. 45. C. Ill. sp. 27, f. 103, 106. Coq. Viv. p. 107, pl. 5, f. 2, pl. 50, f. 1.
  - C. Indica, Gmel., Syst. Nat. p. 3412, 1790. Indian Ocean.
- 32. P. stolida, Linn., Syst. Nat. p. 1180, 1767.
  C. Ic. pl. 14, sp. 67. C. Ill, sp. 65, f. 91, 92. Coq. Viv. p. 23, pl. 31, f. 1.

C. ferruginea, Humph., Cab. Cat. No. 113. C. rubiginosa, Gmel., Syst. Nat. p. 3420, 1790. Ceylon.

- 33. P. tabescens, Sol., MSS. Dillw. Cat. i, p. 463, 1817.
  C. Ic. pl. 14, sp. 66. C. Ill. sp. 73, f. 14. Coq. Viv. p. 88, pl. 5, f. 3.
- 34. P. talpa, Rumph., Amb. Rarit. pl. 38, f. i, 1705.
  Linn., Syst. Nat. p. 1174, 1767. C. Ic. pl. 2, sp. 5. C.
  Ill. sp. 24, f. 113. Coq. Viv. p. 79, pl. 12, f. 2.
  Indian and Pacific Oceans.
- 35. P. teres, Gmel., Syst. Nat. p. 3405, 1790. C. Ic. pl. 18, sp. 93. C. Ill. sp. 72, f. 56. Coq. Viv. p. 91, pl. 39, f. 3.

<sup>\*</sup> Closely allied to P. hirundo, Linn.

36. P. testudinaria, Linn., Syst. Nat. p. 1173, 1767. C. Ic. pl. 3, sp. 9. C. Ill. f. 152. Coq. Viv. p. 78, pl. 15, 16, f. 1.

C. testudinosa, Perry, Conch. pl. 22, f. 7, 1811.

Indian Ocean.

37. P. unifasciata,\* Mighels, Proc. Bost. Soc. ii, p. 24, 1848. Oahu.

**38. P. ursellus,** Gmel., Syst. Nat. p. 3411, 1790. Coq. Viv. p. 99, pl. 33, f. 4. *Indian Ocean.* 

#### Genus LUPONIA, Gray.

Desc. Cat. Cyp. 1832.

L. albuginosa, Mawe, Zool. Jour. i, p. 510, 1824.
 C. Ic. pl. 18, sp. 94.
 C. Ill. sp. 45, f. 102.
 Coq. Viv. p. California.

2. L. Algoensis, Gray (non Sowb.), Zool. Jour. i, p. 498, 1824.

C. Ic. pl. 17, sp. 90. C. Ill. sp. 101, f. 26. Coq. Viv. p. 44, pl. 42, f. 2. Algoa Bay.

**3. L. angustata**, Gmel. (non Gray), Syst. Nat. p. 3421, 1790.

C. Ic. pl. 17, sp. 91. C. Ill. sp. 99, f. 105. Coq. Viv. p. 43, pl. 35, f. 2. New Holland.

L. aurantia, Martyn, Univ. C. ii, f. 59, 1782.
 C. Ic. pl. 4, sp. 11.

C. aurora Solandri, Chem., Conch. Cab. xi, pl. 180, f. 1737, 1738, 1795.

C. Ill. sp. 8, f. 41. Coq. Viv. p. 8, pl. 27, 28, f. 1.

Taheite.

- L. Barclayii, Reeve, Proc. Zool. Soc. p. 208, pl. 38, f. 4, Diego Garcia.
- L. Beckii, Gask., Proc. Zool. Soc. p. 205, 1835.
   C. Ic. pl. 22, sp. 125.
   C. Ill. f. 97.

  Red Sea.
- L. bicallosa, Gray, C. Ill. sp. 50, f. 10, 1837.
   C. Ic. pl. 16, sp. 79. Coq. Viv. p. 111, pl. 16, f. 2.
   St. Vincent,
- 8. L. bicolor, Gask., Proc. Zool. Soc. p. 92, 1848. Australia.
- 9. L. Boivinii, Kien., Coq. Viv. p. 66, pl. 18, f. 2. Hab.—?

<sup>\*</sup> This species may prove to be only a variety of P. fimbriata, Gmel.

- 10. L. Broderipii, Gray, Desc. Cat. p. 3, No. 18, 1832. C. Ic. pl. 5, sp. 13. C. Ill. sp. 20, f. 2. Madagascar.
- 11. L. Bregeriana, Crosse, Jour. de Conch. xvi, p. 277, 1868. Jour. de Conch. xvii, pl. 1, f. 2, 1869. New Caledonia.
- 12, L. camelopardalis, Perry, Conch. pl. 19, f. 5, 1811. C. Ill. sp. 16, f. 64, 65. Coq. Viv. p. 13, pl. 24, f. 1. C. melanostoma, Leathes, Tank. Cat. App. p. 31, 1825. Ic. pl. 6, sp. 17.

Red Sea.

13. L.? candida, Pse., Proc. Zool. Soc. p. 515, 1865. Am. Jour. Conch. p. 95, pl. 11, f. 12, 13, 1868.

Central Pacific.

- 14. L. castanea, Higgins, Proc. Zool. Soc. p. 178, pl. 14, f. 1, Hab.—? 1868.
- 15. L. caurica, Linn., Syst. Nat. p. 1179, 1767. C. Ic. pl. 11, sp. 46. C. Ill. f. 158, 160. Coq. Viv. p. 54, pl. 10, f. 2, 3.

- C. dentex, Humph., Cab. Cat. No. 116, 1779.C. draeœna, Born., Mus. p. 189, 1780. C. corrosa, Gron., Zooph. p. 129, 1783.
- C. derosa, Gmel., Syst. Nat. p. 3416, 1790. C. elongata, Perry, Conch. pl. 22, 1811.

Indian O. and Malayan Archipelago.

16. L. cinerea, Gmel., Syst. Nat. p. 3402, 1790. C. Ic. pl. 22, sp. 124. C. Ill. sp. 15, f. 163. Coq. Viv. p. 84, pl. 26, f. 2.

C. sordida, Lam., An. sans Vert. vii, p. 387, 1822. C. translucens, Gmel., Syst. Nat. p. 3404, 1790. W. Indies.

17. L. citrina, Gray (non Kiener\*), Zool. Jour. i, p. 509, 1824.

C. Ic. pl. 16, sp. 78. C. Ill. sp. 48, f. 9. Madagascar.

18. L. clandestina, Linn., Syst. Nat. p. 1177, 1767. C. Ic. pl. 19, sp. 106. C. Ill. sp. 94, f. 87. Coq. Viv. p. 30, pl. 31, f. 4.

C. moniliaris, Lam., An. sans Vert. vii, p. 396, 1822.

Ceylon.

19. L. compta, Pse., Proc. Zool. Soc. p. 189, 1860. Jarvis I.

<sup>\*</sup> The figure given in Kiener's monograph is an L. helvola, Linn.

20. L. contaminata, Gray, Desc. Cat. p. 11, 1832.
C. Ic. pl. 22, sp. 121. C. Ill. sp. 96, f. 21. Coq. Viv. p. 101, pl. 57, f. 5.

L. cribraria, Linn., Syst. Nat. p. 1178, 1767.
 C. Ic. pl. 16, sp. 81.
 C. Ill. sp. 75, f. 63.
 Coq. Viv. p. 26, pl. 29, f. 1.
 C. comma, Perry, Conch. pl. 21, f. 5, 1811.

22. L. Cumingii, Gray, Desc. Cat. No. 41, 1832.
C. Ic. pl. 16, sp. 77. C. Ill. sp. 77, f. 5. Coq. Viv. p. 28, pl. 29, f. 3.

23. L. dama, Perry, Conch. pl. 23, f. 3, 1811.
C. Ill. sp. 19, f. 100. Coq. Viv. p. 75, pl. 57, f. 2.
C. ninosa, Brod. Zood. Jour. iii. p. 84, pl. 4, f. 1, 1827. C.
Ic. pl. 7, sp. 25. Hab.—?

24. L. eburnea, \* Barnes. An. Lyc. N. H. i. p. 133. pl. 9. f. 2.

C. Ic. pl. 19, sp. 35. Coq. Viv. p. 60, pl. 8, f. 3.

Philippines.

25. L. erosa, Linn., Syst. Nat. p. 1179, 1767.
C. Ic. p. 11, sp. 43. C. Ill. sp. 53, f. 119, 171, 172. Coq. Viv. p. 53, pl. 9, f. 2, 3.

Indian O. and Malayan Archipelago.

26. L. errones, Linn., Syst. Nat. p. 1178, 1767.
C. Ic. pl. 13, sp. 56. C. Ill. sp. 80, f. 124, 128, 129, 132.
Coq. Viv. p. 56, pl. 29, f. 4, 4a.

C. ovum, Gmel., Syst. Nat. p. 3412, 1790.
 C. subflava, Gmel., Syst. Nat. p. 3413, 1790.

C. olivacea, Lam., An. sans Vert. vii, p. 392, 1822.

Indian Ocean.

L. esontropia, Ducl., Mag. Zool. p. 26, 1833.
 C. Ic. pl. 16, sp. 80. Coq. Viv. p. 27, pl. 29, f. 2.
 Philippines.

L. flaveola, Linn., Syst. Nat. p. 1179, 1767.
 C. Ic. pl. 18, sp. 95.
 C. Ill. sp. 52, f. 11.
 C. labrolineata, Gask., var., Proc. Zool. Soc. p. 97, 1848.
 West Indies.

29. L. fusco-dentata, Gray. Zool. Jour. i. p. 400. 1824. C. Ic. pl. 17, sp. 88. C. Ill. sp. 104, f. 28. Coq. Viv. p. 46, pl. 36, f. 3. Cape of Good Hope.

\*Mr. Sowerby has combined the three species, Lamarckii, miliaris and eburnea, calling the latter two varieties of the former. They are all, however, quite distinct.

**30. L. gangrenosa**, Sol. (non Gmel.,) MSS. Dilw. Cat. 1, p. 465, No. 19, 1817.

C. Ic. pl. 18, sp. 96. C. Ill. sp. 47, f. 8. Coq. Viv. p. 50,

pl. 50, f. 2.

C. poraria, Mart. (non Linn.) Conch i, p. 304, pl. 30, f. 324, 325, 1768.

C. scabiosa, Humph., Cab. Cat. No. 103.

- C. Reentzii, Dkr., var., Menke and Pfr. 1852, p. 189, and Nov. Conch. pl. 11, f. 3, 4, 1858. China.
- **31. L. Gaskoinii**, Reeve, Proc. Zool. Soc. p. 23, 1846. C. Ic. pl. 22, f. 122.
- 32. L. Goodalii, Gray, Desc. Cat. p. 10, 1832. C. Ic. pl. 22, sp. 120. C. Ill. sp. 76, f. 16.

Lord Hood's Island.

33. L. gracilis, Gask., Proc. Zool. Soc. p. 93, 1848.

Bourbon.

34. L. guttata, Rumph., Amb. Rarit. pl. 38, f. A, 1705.

C. tigris, Linn., Syst. Nat. p. 1176, 1767.

- C. Ic. pl. 4, sp. 12. C. Ill. sp. 4, f. 90. Coq. Viv. p. 4, pl. 1, 4, 5, 6, f. 1.
- C. flammea, Gmel., Syst, Nat. p. 3408, 1790. C. tigrina, Gmel., Syst. Nat. p. 3404, 1790.
- C. guttata, Gmel., p. 3402, reference to fig. Lister, pl. 676, f. 23.

  Indian O. and Malayan Archipelago.
- 35. L. helvola, Linn. Syst. Nat. p. 1180, 1767.
  C. Ic. pl. 15, sp. 72. C. Ill. sp. 49, f. 121. Coq. Viv. p. 69, pl. 28, f. 1.
  - C. citrina, Kien. (non Gray) Coq. Viv. p. 70, pl. 43, f 4. Ceylon—Indian Ocean—Sandwich Islands.
- 36. L. Jenningsiana, Perry, Conch. pl. 19, f. 4. 1811.
  C. guttata, Gmel. (non Gray) Syst. Nat. p. 3402, reference to fig. Mart. Conch. i. pl. 25, f. 252, 253. C. Ic. pl. 8, sp. 30. C. Ill. sp. 43, f. 176. Coq. Viv. p. 52, pl. 43, f. 1.
- 37. L. Lamarckii, Gray, Zool. Jour. i, p. 506, 1824. C. Ic. pl. 10, sp. 37. C. Ill. sp. 54, f. 12. Coq. Viv. p. 58, pl. 30, f. 2. Indian Ocean.
- 38. L. lentiginosa, Gray, Zool. Jour. i, p. 489, pl. 7, 12, f. 1, 1824.
  - C. Ic. pl. 12, sp. 49. C. Ill. sp. 95, f. 139. Coq. Viv. p. 18, pl. 7. f. 2.

- 39. L. leucodon, Brod., Zool. Jour. iv, p. 163, pl. 6, 1828.
  C. Ic. pl. 7, sp. 23. C. Ill. sp. 9, f. 177—8. Coq. Viv. p. 76, pl. 55, f. 1.
- **40. L. Listerii**, Gray, Zool. Jour. i, p. 507, 1824. C. Ic. pl. 16, sp. 83. C. Ill. sp. 46, f. 114. Coq. Viv. p. 65, pl. 33, 41, f. 2.

  Bengal.
- **41. L. lutea,** Gronov., Zoophylac. fasc. 3, pl. 19, f. 17, 1781. C. Ic pl. 20, sp. 110.

C. Humphreysii, Gray, Zool. Jour. i, p. 489, 1824. C. Ill. sp. 71, f. 55. Coq. Viv. p. 40, pl. 14, f. 4, pl. 57, f. 1.

Hab. ——?

- **42. L. lynx**, Linn., Syst. Nat. p. 1176, 1767. C. lc. pl. 9, sp. 3. C. Ill. sp. 12, f. 107. Coq. Viv. p. 10, pl. 25, 38, f. 2.
  - C. Vanelli, Linn., Syst. Nat. p. 1175, 1767.C. squalina, Gmel., Syst. Nat. p. 3420, 1790.
  - C. Caledonica, Crosse., var., Jour. de Conch. xvii, p. 41, pl. 1, f. 1, 1869.

    Indian Ocean, Pacific O.
- 43. L. margarita, Sol., MSS. Zool. Jour. iv, p. 87, 1828.
  C. Ic. pl. 22, sp. 123. C. Ill. sp. 37, f. 6. Coq. Viv. p. 100, pl. 56, f. 4.

  Annaa I.
- **44. L. Menkeana**, Desh., Conch. I. Reunion, p. 139, pl. 13, f. 21, 22, 1863. *Bourbon*.
- **45.** L. miliaris, Gmel., Syst. Nat. p. 3420, 1790. C. Ic. pl. 10, sp. 36. Coq. Viv. p. 59, pl. 8, f. 2. *Japan*.
- **46. L. montosa**, Rumph., Amb. Rarit, p. 114, pl. 38, f. B, 1705.
  - C. mappa, Linn., Syst. Nat p. 1173, 1767.
    C. Ic. pl. 6. sp. 18.
    C. Ill. sp. 2, f. 76.
    Coq. Viv. p. 9, pl. 20, f. 1, 2.
    C. alga, Perry, Conch. pl. 23, f. 1, 1811.

    Annaa I.
- 47. L. nigropunctata, Gray, Zool. Jour. iv, p. 81, 1828.
  C. Ic. pl. 13, sp. 59. C. Ill. sp. 89, f. 22. Coq. Viv. p. 31, pl. 2, f. 2.
  C. irina, Kien., Coq. Viv. p. 35, pl. 56, f. 2. Gallipagos I.
- **48.** L. ocellata, Linn., Syst. Nat. p. 1180, 1767. C. Ic. pl. 15, sp. 73. Coq. Viv. p. 67, pl. 49, f. 3. C. Ill. sp. 55, f. 67.
- **49. L. onyx**, Linn., Syst. Nat. p. 1177, 1767. C. Ic. pl. 10, sp. 39. C. Ill. sp. 84, f. 17. Coq. Viv. p. 16, pl. 44, f. 1.

C. adusta, Chem. (non Lam.) var., Conch. Cab. x, p. 106, pl. 145, f. 1341, 1790.

C. nymphæa, Ducl. ——?

C. pulla, Gmel., Syst. Nat. p. 3412, 1790.

C. succincta, Linn., Syst. Nat. p. 1177, 1767. San Diego 1.

50. L. pallida, Gray, Zool. Jour. i, p. 387, 1824.
C. Ic. pl. 13, sp. 54. C. Ill. sp. 90, f. 19, 76. Coq. Viv. p. 64, pl. 51, f. 1.

51. L. pantherina, Sol., MSS. Dilw. Cat. i, p. 499, 1817.

C. Ic. pl. 3, sp. 7. C. Ill. sp. 5, f. 8, 134.

C. guttata, Lam. (non Rumph.) An. du Mus. xv, p. 453, 1810.

C. tigrina, Lam., An. sans Vert. vii, p. 383, 1822.

Red Sea—Indian O.

**52.** L. physis, Brocchi, (in act. fos.) Conch. foss. Subap. ii, p. 284, pl. 2, f. 3, 1814.

C. Ic. pl. 12, sp. 47.

C. achatidea, Gray, (non Sowb.) C. Ill. f. 179, 1837.

C. Grayi, Kien., Coq. Viv. p. 20, pl. 26, f. 3.

Mediterranean Sea.

**53. L. picta,** Gray, Zool. Jour. i, p. 389, pl. 7, 12, f. 10, 1824.

C. Ic. pl. 13, sp. 57. C. Ill. sp. 86, f. 162. Coq. Viv. p. 34, pl. 56, f. 6. Gambia.

L. piperita, Sol., MSS. Zool. Jour. i, p. 498, 1824.
 C. Ic. pl. 17, sp. 87. C. Ill. sp. 100, f. 24.

C. Comptoni, Gray, var. Proc. Zool. Soc. p. 170, 1865.

Australia.

55. L. polita, Roberts, Am. Jour. Conch. iv, p. 70, pl. 15, f. 1-3, 1868. Sandwich Islands.

56. L. poraria, Linn., Syst. Nat. p. 1180, 1767.
C. Ic. pl. 18, sp. 99. C. Ill. sp. 44, f. 68. Coq. Viv. p. 51, pl. 49, f. 2.

57. L. pulchella, Swn., Phil. Mag. lxi, p. 376, 1823.
C. Ic. pl. 11, sp. 42.
C. Ill. sp. 28, f. 40.
Coq. Viv. p. China Sea.

L. punctata, Linn., Mantissa. p. 548, 1771.
 C. Ic. pl. 19, sp. 101.
 C. Ill. sp. 67, f. 117.
 C. atomaria, Gmel., Syst. Nat. p. 3412, 1790.

C. stereus-muscarum, Lam., An. sans Vert. vii, p. 396, 1822.

Philippines.

L. punctulata, Gray, Zool. Jour. i, p. 387, 1824.
 C. Ic. pl. 13, sp. 61.
 C. Ill. sp. 20, f. 20.
 Coq. Viv. p.

114, pl. 21, f. 2.

Mazatlan—Panama.

60. L. pyriformis, Gray, Zool. Jour. i, p. 371, 1824.
C. Ic. pl. 12, sp. 52. C. Ill. sp. 69, f. 23. Coq. Viv. p. 42, pl. 55, f. 2.
New Holland—Ceylon.

61. L. pyrum, Gmel., Syst. Nat. p. 3411, 1790.
C. Ic. pl. 8, sp. 26.
C. Ill. sp. 85, f. 72.
Coq. Viv. p. 13, pl. 28, f. 2.

C. rufa, Lam., An. sans Vert. vii, p. 388, 1822.C. flaveola, Born. (non Linn.) Mus. p. 190, 1778.

Mediterranean Sea.

- 62. L. Reeveii, Gray, C. Ill. sp. 15\*, f. 52, 1837.
  C. Ic. pl. 11, sp. 41. Coq. Viv. p. 86, pl. 37, f. 2.
  E. Indies.
- 63. L. salita, Rumph., Amb. Rarit. pl. 38, f. L, 1705.
  C. vitellus, Linn., Syst. Nat. p. 1176, 1767. C. Ic. pl. 5, sp. 14. C. Ill. sp. 13, f. 66. Coq. Viv. p. 12, pl. 19, f. 1.
  C. dama, Humph., Cab. Cat. No. 118, 1779.
  C. fulva, Gmel., Syst. Nat. p. 3413, 1790. Indian Ocean.
- 64. L. sanguinolenta, Gmel., Syst. Nat. p. 3406, 1790.
  C. Ie. pl. 19, sp. 102. C. Ill. sp. 97, f. 108. Coq. Viv. p. 32, pl. 33, f. 1.
  C. purpurascens, Swn., Phil. Mag. lxi, p. 376, 1823. Gambia.
- 65. L. Sauliæ, Gask., Proc. Zool. Soc. p. 23, 1843.
   C. Ic. pl. 14, sp. 62.
   Bay of Manilla.
- 66. L. semiplota, Mighels, Proc. Bost. Soc. ii, p. 24, 1848. Oahu.
- 67. L. similis, Gray, Zool. Miscel. p. 36. C. Ic. pl. 17, sp. 89. C. Ill. sp. 103, f. 27. Coq. Viv. p. 17, pl. 19, f. 2. C. of Good Hope.
- L. Sowerbyii, Kien., Coq. Viv. p. 38, pl. 7, f. 3.
   C. Ic. pl. 10, sp. 40.
   C. ferruginosa, Kien., Coq. Viv. p. 37, pl. 56, f. 3.
   C. zonata, Lam., (non Gray,) An. sans Vert. p. 386, 1822.
- 69. L. spadicea, Swn., Phil. Mag. lxi, p. 376, 1823.
  C. Ic. pl. 7, sp. 21.
  C. Ill. sp. 83, f. 95.
  Coq. Viv. p. 14, pl. 22, f. 1.

  New Holland.
- **70. L. spadix,\*** Mighels, Proc. Bost. Soc. ii, p. 24, 1848. *Oahu.*

<sup>\*</sup> This species has very much the appearance of an immature L. semiplota, but with my present knowledge of it I do not feel safe in placing it in the synonymy of the latter.

71. L. spurca,\* Linn., Syst. Nat. p. 1179, 1767.
C. Ic. pl. 14, sp. 68. C. Ill. sp. 51, f. 53, 81, 104. Coq. Viv. p. 61, pl. 30, f. 1.

C. acicularis, Gmel., Syst. Nat. p. 3421, 1790.

C. flaveola, Lam. (non Linn.), An. sans Vert. vii, p. 394, 1822.
West Indies.

- 72. L. subviridis, Rve., C. Ic. pl. 12, sp. 48, 1845. C. Ill. f. 180. Coq. Viv. p. 41, pl. 13, f. 2. Australia.
- 73. L. Thomasi, Crosse, Jour. de Conch. p. 57, pl. 6, f. 3, 1865.
- 74. L. umbilicata, Sowb., Tank. Cat. app. p. 30, 1825.
   C. Ill. f. 169.

  Australia.
- 75. L. undata, Lam., An. sans Vert. vii, p. 393, 1822.
  C. Ill. sp. 93, f. 109. Coq. Viv. p. 21, pl. 30, f. 3.
  C. diluculum, Rve., C. Ic. pl. 14, sp. 65, 1845. Philippines.
- 76. L. Valentia, Perry, Conch. pl. 23, f. 2, 1811.
  C. princeps, Gray, Zool. Jour. i, p. 75, 1824. C. Ic. pl. 6, sp. 20. C. Ill. f. 20. Coq. Viv. p. 7, pl. 7, 8, f. 1.
  Persian Gulf.
- 77. L. variola, Rumph., Amb. Rarit. pl. 38, f. 0, 1705.
   C. cruenta, Gmel., Syst. Nat. p. 3420, 1790.
   C. Ic. pl. 10, sp. 38.
   C. Ill. sp. 79, f. 112.

C. morbillosa, Sol. MSS., Dillw. Cat. 1817.

- C. variolaria, Lam., An. sans Vert. vii, p. 387, 1822. Kien. Coq. Viv. p. 57, pl. 27, f. 2, 3. New Guinea.
- 78. L. Walkerii, Gray, Desc. Cat. p. 11, 1832. C. Ic. pl. 12, sp. 50. C. Ill. sp. 70, f. 22.\* Coq. Viv. p. 33, pl. 14, f. 2. New Holland.
- 79. L. Xanthodon, Gray, Desc. Cat. p. 10, 1832. C. Ic. pl. 13, sp. 55. C. Ill. sp. 88, f. 18. Coq. Viv. p. 39, pl. 57, f. 2.

  Hab. ——?
- L. zigzag, Linn., Syst., Nat. p. 1177, 1767.
   C. Ic. pl. 18, sp. 97.
   C. Ill. f. 143.
   Coq. Viv. p. 22, pl. 31, f. 2.

C. undulata, Wood, Supp. p. 87, pl. 17, f. 16. Mozambique.

81. L. zonata, Chem., Conch. Cab. x, pl. 145, f. 1342, 1788. C. Ic. pl. 13, f. 58. Coq. Viv. p. 19, pl. 48, f. 1. C. nebulosa, Kien., var., Coq. Viv. p. 63, pl. 32, f. 3. C. zonaria, Gmel., Syst. Nat. p. 3414, 1788. Gambia.

<sup>\*</sup>The C. lota of Linn. (non Lam.), is probably a worn C. spurca.

#### Genus GASKOINIA,\* Roberts.

1. G. edentula, Sowb., C. Ill. sp. 102, f. 26,\* 1837. C. Ic. pl. 17, sp. 85, a, b. Coq. Viv. p. 53, pl. 9, f. 2, 3. South Africa.

#### Genus ARICIA, Gray.

Desc. Cat. Cyp., 1832.

- 1. A.? Annæ, Roberts, Am. Jour. Conch., iv, p. 250, pl. 15, f. 4—6, 1868.

  Sandwich Islands.
- A. annulus, Linn., Syst. Nat. p. 1179, 1767.
   C. Ic. pl. 15, sp. 71.
   C. Ill. sp. 58, f. 115.
   Coq. Viv. p. 124, pl. 34, f. 2.

C. Noumeensis, Marie, var. Jour. de Conch. xvii, p. 18, pl. 2, f. 6, 1869. Indian Ocean.

3. A. Arabica, Linn., Syst. Nat. p. 1173, 1767. C. Ic. pl. 1, sp. 2. C. Ill. sp. 3, f. 85. Coq. Viv. p. 105, pl. 17, f. 1, 2.

C. amethystia, Linn., Syst. Nat. 1174, 1767. C. fragilis, Linn., Syst. Nat. 1175, 1767.

C: elegantina, Ducl., var., Guer. Mag. p. 28, 1833.

Indian Ocean.

- A. arabicula, Lam., An. sans Vert. vii, p. 399, 1822.
   C. Ic. pl. 13, sp. 60.
   C. Ill. sp. 11, f. 77.
   Coq. Viv. p. Acapulco.
- A. arenosa, Gray, Zool. Jour. p. 147, 1824.
   C. Ic. pl. 18, sp. 27.
   C. Ill. sp. 18, f. 75.
   Coq. Viv. p. 118, pl. 11, f. 4.

  Annaa Island.
- 6. A. caput-anguis, Philippi,† Menke & Pfr. p. 24, 1849.

  Hab. ——?
- A. caput-serpentis, Linn., Syst. Nat. p. 1175, 1767.
   C. Ic. pl. 11, sp. 44.
   C. Ill. sp. 57, f. 127, 131.
   Coq. Viv. p. 112, pl. 49, f. 1.

C. albella, Lam., An. sans Vert. vii, p. 404, 1822. C. reticulum, Gmel., Syst. Nat. p. 3407, 1790.

Indian Ocean-Taheite.

8. A.? fabula, Kien., Coq. Viv. p. 97, pl. 54, f. 3. C. Ic. pl. 19, sp. 105a.

Indian Ocean.

† Probably a variety of A. caput-serpentis, Linn.

<sup>\*</sup>Shell entirely devoid of teeth; in other respects resembling Luponia. This genus is respectfully dedicated to Mr. J. S. Gaskoin, of England, who has devoted many years to the study of this family.

A. histrio, Meusch, (non Gmel.) Mus. Gevers, p. 404, 1787.
 Coq. Viv. p. 104, pl. 18, f. 1. C. Ill. f. 80.
 C. arlequina, Chem., Conch. Cab. x. p. 145, f. 1346-7, 1790.
 Indian Ocean.

A. leucostoma, Gask., Proc. Zool. Soc. p. 25, 1843.
 C. Ic. pl. 7, sp. 22.

Mocha.

11. A. marginata, Gask., Proc. Zool. Soc. p. 91, 1848.

Hab. —— ?

A. Mauritiana, Linn., Syst. Nat. p. 1176, 1767.
 C. Ic. pl. 1, sp. 1. C. Ill. sp. 6, f. 164. Coq. Viv. p. 103, pl. 39, 40, 41, f. 1.

C. fragilis, Born., Mus. p. 179, pl. 8, f. 6, 1780. C. regina, Chem., Conch. Cab. x, p. 101, 1788.

C. trifasciata, Gmel., Syst. Nat. 3405, 1790. C. turbinata, " 3404, "

C. undulata, Gmel (non Wood), Syst. Nat. 3406, 1790. Indian Ocean—Mauritius.

13. A. moneta, Linn., Syst. Nat. p. 1178, 1767. C. Ic. pl. 15, sp. 74. C. Ill. sp. 60, f. 123, 130. Coq. Viv. p. 122, 123, pl. 34, f. 1, 3.

C. icterina, Lam., An. sans Vert. vii, p. 387, 1822.
C. Barthelemyi, Bernardi, var. Jour. de Conch. p. 48, pl. 1, 1861.
Fejee Islands—N. Caledonia.

A. mus, Linn., Syst. Nat. p. 1176, 1767.
 C. Ic. pl. 7, sp. 24.
 C. Ill. f. 156, 157.
 Coq. Viv. p. 120, pl. 25, f. 1.
 C. autumnalis, Perry, Conch. pl. 21, f. 2, 1811.
 West Indies.

15. A. obvelata, Lam., An. sans Vert. vii, p. 401, 1822.
C. Ic. pl. 15, sp. 69. C. Ill. sp. 59, f. 13. Coq. Viv. p. 125, pl. 34, f. 4.

**16. A. pardalina**, Dunker, Zeit. fur Malak. p. 126, 1852. *Hab.—?* 

A. reticulata, Martyn, Univ. C. pl. 15, 1782.
 C. Ic. pl. 1, sp. 3. C. Ill. f. 166. Coq. Viv. p. 104, pl. 18, f. 1.

C. maculata, Barnes, An. Lyc. N. H. i, p. 132, 1824. C. intermedia, Gray, var. Zool. Jour. i, p. 77, 1824. Polynesian Islands, Pacific Ocean.

A. Scottii, Brod., Zool. Jour. v, p. 330, pl. 14, 1831.
 C. Ic. pl. 14, sp. 10.
 C. Ill. sp. 33, f. 44. Coq. Viv. p. 110, pl. 14, f. 1.
 C. Friendii, Gray, Desc. Cat. p. 5, 1832.

19. A. Stercoraria, Linn., Syst. Nat. p. 1174, 1767.

C. Ic. pl. 5, sp. 15. C. Ill. sp. 7, f. 167. Coq. Viv. p. 109, pl. 12, f. 1; p. 108, pl. 11, f. 1, 2.

C. cauteriata, Chem., Conch. Cab. x, pl. 144, f. 1332, 1788.

C. fasciata, " " " 1334,

C. conspurcata, Gmel., Syst. Nat. p. 3405, 1790. C. gibba, " " 3403, "

C. olivacea, " " " 3408, "

C. nebulosa, Gmel. (non Kien.), Syst. Nat. p. 3413, 1790.

C. grummulus, Humph., Cab. Cat. No. 112, 1779.

C. rattus, Lam., An. sans Vert. vii, p. 380, 1822. Africa.

- 20. A. sulcidentata, Gray, Zool. Jour. i, p. 148, 1824.
  C. Ic. pl. 8, sp. 29. C. Ill. sp. 10, f. 110. Coq. Viv. p. 117, pl. 21, f. 3.
- **21.** A. tessellata, Swn., Zool. Jour. i, p. 150, 1824. C. Ic. pl. 12, sp. 53. C. Ill. sp. 55, f. 94. Coq. Viv. p. 119, pl. 22, f. 3.

  New Zealand.
- **22. A.** thersites, Gask., Proc. Zool. Soc. p. 90, 1848. *Hab.—?*
- 23. A. turdus, Lam., An. sans Vert. vii, p. 392, 1822.
  C. Ic. pl. 9, sp. 31. C. Ill.\* sp. 56, f. 173. Coq. Viv. p. 62, pl. 4, f. 2.

C. nivea, Gray (non Sol.), Zool. Jour. i, p. 511, 1824. Proc. Zool. Soc. p. 98, 1848.

C. ovula, Perry, Conch. pl. 21, f. 3, 1811. Persian Gulf.

24. A. ventriculus, Lam., An. du Mus. xvi, p. 452, 1810. C. Ic. pl. 8, sp. 28. Coq. Viv. p. 116, pl. 38, f. 3. C achatina, Sol. MSS. Dilw. Cat. i, p. 446, 1817. C. carneola, Martyn (non Linn.), Univ. C. pl. 14, 1782.

Pacific Ocean.

# Genus **CYPRÆOVULA**, Gray. Zool. Jour. i, p. 75, 1824.

- C. Adamsonii, Gray, Desc. Cat. p. 7, 1832.
   C. Ic. pl. 24, sp. 135.
   C. Ill. sp. 107, f. 7.
   Coq. Viv. p. 159, pl. 46, f. 3.
- C. Capensis, Gray, Zool. Jour. iii, p. 573, 1828.
   C. Ic. pl. 17, sp. 86.
   C. Ill. f. 101. Coq. Viv. p. 158, pl. 15, f. 2.

<sup>\*</sup>Figure 54 in Sowerby's monograph looks very much like a young shell, and is no doubtthe L. eburnea, Barnes. It is not a turdus.

#### Genus EPONA, H. and A. Adams.

Genera Recent Mollusca, i, p. 269, 1858.

1. E. annulata, Gray, Zool. Jour. iv, p. 88, 1829. C. Ic. pl. 21, sp. 114. C. Ill. f. 4. Coq. Viv. p. 157, pl. 14, f. 2.

Annaa Island.

E. cicercula, Linn., Syst. Nat. p. 1181, 1767.
 C. Ic. p. 21, sp. 116.
 C. Ill. sp. 38, f. 84.
 Coq. Viv. p. 156, pl. 50, f. 3.
 Malayan Archipelago.

E. globuli, Rumph., Amb. Rarit. pl. 39, f. L, 1705.
 C. globulus, Linn., Syst. Nat. p. 1181, 1767.
 C. Ie. pl. 21, sp. 118.
 C. Ill. sp. 39, f. 78.
 C. affinis, Gmel., Syst. Nat. p. 3420, 1790.

Asiatic Ocean.

#### Genus PUSTULARIA, Swainson.

Man. Malacology, p. 325, 1840.

1. P. granulata, Pse., Proc. Zool. Soc. p. 278, 1862.

Pacific Ocean.

P. limacina, Lam., An. sans Vert. vii, p. 400, 1822.
 Coq. Viv. p. 47, pl. 35, f. 1; pl. 22, f. 2.
 C. interstincta, Wood, Index Supp. pl. 3, f. 9, 1828.

Philippines. -

3. P. Madagascariensis, Gmel., Syst. Nat. p. 3419, 1790. C. Ic. pl. 15, sp. 75. C. Ill. sp. 42, f. 116. Coq. Viv. p. 126, pl. 3, f. 4. Pacific Ocean—Madagascar?

P. nucleus, Linn., Syst. Nat. p. 1181, 1767.
 C. Ie. pl. 15, sp. 70.
 C. Ill. sp. 41, f. 86.
 Coq. Viv. p. 127, pl. 3, f. 2.
 C. gemmosa, Perry, Conch. pl. 23, 1811.

Indian Ocean .- Polynesia.

P. pustulata, Lam., An. du Mus. xv. p. 101, 1810.
 C. Ic. pl. 15, sp. 76.
 C. Ill. sp. 106, f. 71. Coq. Viv. p. 128, pl. 2, f. 3.

Mazatlan—Panama.

6. P. Staphylea, Linn., Syst. Nat. p. 1181, 1767. C. Ic. pl. 16, sp. 82. C. Ill. sp. 40, f. 83. Coq. Viv. p. 48, pl. 36, f. 2. Sandwich Islands—Indian Ocean.

## Genus TRIVIA, Gray.

Desc. Cat. Cyp. 1832.

1. T. acutidentata, Gask., Proc. Zool. Soc. p. 201, 1835.

Bay of Guyaquil.

- 2. T. affinis,\* Marratt (non Gmel.), An. Mag. N. II. xx, p. 214, 1867. West Indies?
- 3. T. armandina,† Duclos, Coq. Viv. p. 140, pl. 46, f. 2.
  West Indies.
- **4. T. Australis,** Lam. (*non* Gray), An. sans Vert. vii, p. 404, 1822.
  - C. Ic. pl. 24, sp. 138. C. Ill. sp. 112, f. 29. Coq. Viv. p. 138, pl. 48, f. 2.

    New Holland.
- T. Californica, Gray, Zool. Jour. iii, p. 365, 1827.
   C. Ic. pl. 23, f. 128. C4 Ill. f. 42. California.
- T. candidula, Gask., Proc. Zool. Soc. p. 200, 1835.
   C. Ic. pl. 26, f. 151.
   C. Ill. f. 149.
   Coq. Viv. p. 150, Western Islands, Mexico.
- 7. T. Childreni, Gray, Zool. Jour. i, p. 518, 1824. C. Ic. pl. 21, f. 115. C. Ill. f. 169. Coq. Viv. p. 155, pl. 40, f. 3.

  Annaa Island.
- 8. T. corrugata, Pse., Am. Jour. Conch. iv, p. 95, pl. 11, f. 14, 15, 1868.

  Paumotus.
- T. costata, Gmel., Syst. Nat. p. 3418, 1790.
   C. Ic. pl. 20, sp. 109.
   C. Ill. f. 137.
   Coq. Viv. p. 136, pl. 47, f. 4.
  - C. rosea, Wood, Index Supp. pl. 3, f. 15, 1828.C. triticea, Dufr., Blainv. Dict. p. 43, pl. 25, 1824.
  - C. carnea, Gray, Zool. Jour. iii, p. 569, 1828. West Indies.
- T. depauperata, Sowb., C. III. sp. 130, f. 49, 1837.
   C. Ic. pl. 23, sp. 133. Coq. Viv. p. 131, pl. 47, f. 2.
   California.
- 11. T. Europæa, Montague, Test. Brit. Supp. p. 88, 1808. C. Ic. pl. 23, sp. 129. C. Ill. f. 142, 142\*.
  - C. pediculus, var., Mont., Test. Brit. i, p. 200, 1803.
  - C. bullata, Mont., Test. Brit. i, p. 202, 1803.C. Arctica, Mont., Test. Brit. i, p. 201, 1803.
  - C. coccinella, Lam., An. sans Vert. vii, p. 404, 1822. Coq. Viv. p. 139, pl. 52, f. 4—6.

    Britain.
- **12. T. exigua,** Gray, Desc. Cat. Cyp. p. 15, 1832. C. Ill. sp. 118, f. 35.
  - C. tremeza, Ducl., Mag. de Zool. pl. 25, 1833. C. Ic. pl. 26, sp. 148. Coq. Viv. p. 154, pl. 55, f. 4.
  - C. gemmula, Gld., Proc. Bost. Soc. ii, p. 27, 1845.

Sandwich I.—Caledonia.

<sup>\*</sup> Closely allied to T. producta, Gask.

<sup>†</sup> The distinctness of this species is somewhat doubtful.

13. T. formosa, Gask., Proc. Zool. Soc. p. 198, 1835.
C. Ie. pl. 23, sp. 132. C. Ill. f. 151. Coq. Viv. p. 137, pl. 52, f. 3.

**14. T. fusca**, Desc. Cat. p. 15. C. Ic. pl. 24, sp. 134. C. Ill. f. 37. Gallipagos I.

T. Gaskoinii, Roberts.
 C. sulcata, Gask. (non Dillw.), Proc. Zool. Soc. p. 95, 1848.
 Manilla.

T. globosa, Gray, Desc. Cat. p. 14, 1832.
C. Ic. pl. 26, sp. 152.
C. Ill. f. 34.
C. pilula, Kien., Coq. Viv, p. 151, pl. 54, f. 2.
West Indies—China Seas?

17. T. grando, Gask., Proc. Zool. Soc. p. 96, 1848. Manilla.

T. insecta, Mighels, Proc. Bost. Soc. ii, p. 24, 1845.
 C. hordacea, Kien., Coq. Viv. p. 149, pl. 54, f. 5.
 Sandwich Islands.

T. Maugeriæ, Gray, Desc. Cat. p. 13, 1832.
 C. Ic. pl. 21, sp. 119, C. Ill. f. 30.
 Gallipagos.

T. napolina, Duel., Coq. Viv. p. 144, pl. 53, f. 3.
 C. Ie. pl. 26, sp. 149.
 C. obscura, Gask., Proc. Zool. Soc. p. 94, 1848.

Senegal.

21. T. oniscus, Lam., An. du Mus. xvi, p. 103, 1810. C. Ic. pl. 20, f. 111. C. Ill. sp. 109, f. 134. Coq. Viv. p. 134, pl. 51, f. 2.

C aperta, Swn. (non Gray), Zool. Jour. iii, p. 571, 1827. Cape of Good Hope.

22. T. ovula, Lam., An. sans Vert. vii, p. 398, 1822.
C. Ic. pl. 20, sp. 112. C. Ill. f. 145. Coq. Viv. p. 135, pl. 51, f. 3.

**23. T. Pacifica,** Gray, Desc. Cat. p. 15, 1832. C. Ic. pl. 25, sp. 143. C. Ill. f. 39. Coq. Viv. p. 147, pl. 45, f. 2. Gallipagos.

24. T. pediculus,\* Rumph., Amb. Rarit. pl. 39, f. P, 1705.

\*The shell *C. nivea*, figured by Reeve, C. Ic. pl. 24, sp. 136, is the *C. oryza*, Lam., which is *T. pediculus*, Rumph. The *C. oryza* figured by Reeve, C. Ic. pl. 24, sp. 140, is the *T. scabriuscula*, Gray. The same error occurs in Sowerby's Conch. Illus. M. Kiener has confounded the two species *T. scabriuscula*, Gray (Coq. Viv. pl. 43, f. 3), and *T. oryza*, Lam. (Coq. Viv. pl. 52, f. 2); the figures should be reversed. The true *C. nivea*, Gray (Zool. Jour. i, p. 511), is a white variety of *C. turdus*, Lam., and has been placed in the synonymy of the latter species, see Proc. Zool. Soc. 1848, p. 98.

C. oryza, Lam. An. du Mus. xvi, p. 104, 1810.

C. nivea, Sol., Dilw. Cat. i, p. 466, 1817.

C. pediculus, Linn. (in part), Syst. Nat. p. 1180, 1767.

Ticao.

- **25. T. pellucidula,** Gask., Proc. Zool. Soc. p. 23, 1846. C. Ic. pl. 26, sp. 153.

  South Pacific.
- **26. T. pisum**, Gask., Proc. Zool. Soc. p. 24, 1846. C. 1c. pl. 26, sp. 154. *East Indies.*
- 27. T. producta, Gask., Proc. Zool. Soc. 1835, p. 200; 1848, p. 98.
  C. Ic. pl. 24, sp. 137.
  C. Ill, f. 155.
  Coq. Viv. p. 153, pl. 53, f. 5.
- 28. T. pulex, Sol., Zool. Jour. iii, p. 368, 1827. C. Ic. pl. 25, sp. 143. C. Ill. sp. 123, f. 32. Coq. Viv. p. 142, pl. 53, f. 1. Mediterranean.
- 29. T. pulla, Gask., Proc. Zool. Soc. 1846, p. 24; 1848, p. 97.
   C. Ic. pl. 26, sp. 150.
   Gallipagos Islands.
- T. quadripunctata, Gray, Zool Jour. iii, p. 368, 1827.
   C. Ic. pl. 25, sp. 146.
   C. Ill. sp. 116, f. 33.
   C. rotunda, Kien., Coq. Viv. p. 141, pl. 53, f. 2.

West Indies.

- 31. T. radians, Lam., An. sans Vert. vii, p. 402, 1822. C. Ic. pl. 21, sp. 117. C. Ill. sp. 129, f. 146. Coq. Viv. p. 129, pl. 3, f. 3. Mazatlan—Ecuador.
- **32. T. rubescens,** Gray, Proc. Zool. Soc. p. 185, 1832. C. Ic. pl. 25, sp. 141. *Gallipagos Islands*.
- **33. T. rubinicolor**, Gask., Proc. Zool. Soc. p. 200, 1835. C. Ic. pl. 25, sp. 145. C. Ill. f. 150.
- 34. T. sanguinea, Gray, Desc. Cat. p. 14, 1832.
  C. Ill. sp. 115, f. 32. C. Ic. pl. 23, f. 127.
  C. lathyrus, Dufr., Coq. Viv. p. 146, pl. 22, f. 4.
  Mazatlan—Ecuador.
- 35. T. scabriuscula,\* Gray, Zool. Jour. iii, p. 364, 1827. C. intermedia, Kien., Coq. Viv. pl. 54, f. 1. African Coast.
- **36. T. Solandri**, Gray, C. Ill. sp. 128, f. 43, 1837. C. Ic. pl. 21, sp. 113. Coq. Viv. p. 130, pl. 47, f. 3. Pacific Ocean.
- 37. T. sphærula, Mighels, Proc. Bost. Soc. ii, p. 24, 1848. Oahu.

<sup>\*</sup> See remarks under T. pediculus, Rumph.

**38. T. subrostrata**, Gray, Zool. Jour. iii, p. 363, 1827. C. Ic. pl. 26, sp. 147. C. Ill. f. 36. Coq. Viv. p. 152, pl. 45, f. 3. West Indies.

**39.** T. suffusa, Gray, Desc. Cat. Cyp. p. 16, 1832. C. Ill. sp. 126, f. 41. C. Ic. pl. 25, sp. 142.

West Indies.

40. T. sulcata, Dilw. (non Gask.), Cat. i, p. 466, 1817. C. pediculus, Linn. (in part), Syst. Nat. p. 1180, 1767. C. Ic. pl. 23, sp. 131. C. Ill. sp. 124, f. 148, 153. Coq. Viv. p. 132, pl. 40, f. 2.

C. labiosa, Gask., Proc. Zool. Soc. p. 202, 1835.

West Indies.

41. T. vesicularis, Gask., Proc. Zool. Soc. p. 203, 1835. C. Ie. pl. 20, sp. 108. C. Ill. f. 120, 154.

Cape of Good Hope.

42. T. vitrea, Gask., Proc. Zool. Soc. p. 95, 1848. Philippines.

#### Fam. AMPHIPERASIDÆ.

#### Genus AMPHIPERAS, Gron.

Zoophylacium, 1781.

Ovulum, Brug., Encyc. Meth. 1791. Simnea,\* Risso, Hist. Nat. Europe. Merid.

1. A. Adamsii, Sowb., C. Ic. pl. 5, sp. 24, 1865. O. marginatum, Ad. (non Sowb.), Proc. Zool. Soc. p. 30, New Caledonia. 1854.

2. A. alabaster, Sowb., C. Ic. pl. 5, sp. 23, 1865. Senegal.

3. A. bimaculata, Ad., Proc. Zool. Soc. p. 131, 1854. C. Ic. pl. 3, sp. 11. New Caledonia.

4. A. brevis, Sowb., Thes. ii, p. 469, pl. 101, f. 70, 71, 1855.

C. Ic. pl. 2, sp. 5. Coq. Viv. p. 12, pl. 3, f. 3.

Australia.

\*I agree with Mr. Tryon in his statement in the Am. Jour. Conch , Vol. i, p. 95, and consider the genus Simnea, Risso, as a synonym of Amphiperas, Gron. The two species referred to it, viz., S. aperta, Sowb., and S. patula, Pennant, are undoubtedly young shells.

The former closely resembles V. birostris, jun., Linn., and has been

placed in its synonymy, and the latter, A. patula, with A. Adriatica,

Sowb., as its synonym.

5. A. bulla, Ad. and Rve., Mol. Voy. Sam. p. 21, pl. 6, f. 5, 1850. China Seas.

C. Ic. pl. 5, sp. 20.

- 6. A. bullata, Ad. and Rve., Mol. Voy. Sam. p. 23, pl. 6, f. 13, 1850. C. Ie. pl. 6, sp. 26. Singapore.
- 7. A. carnea, Poiret, Voy. En. Barb. ii, p. 21, 1789. C. Ic. pl. 4, sp. 17. Coq. Viv. p. 10, pl. 6, f. 2. Thes. ii, p. 471, pl. 101, f. 74, 77. Mediterranean Sea.
- 8. A. concinna, Ad. and Rve., Mol. Voy. Sam. p. 22, pl. 6, f. 8, 1850. C. Ic. pl. 5, sp. 21. Thes. ii, p. 461, pl. 101, f. 86, 87.

Philippines.

9. A. dentata, Ad. and Rve., Mol. Voy. Sam. p. 21, pl. 6, f. 4, 1850. C. Ic. pl. 8, sp. 36. Thes. ii, p. 473, pl. 101, f. 101, 102.

Caramenta Passage.

10. A. dorsuosa, Hinds, Mol. Voy. Sul. p. 47, pl. 16, f. 3, 4, 1844. C. Ic. pl. 6, f. 27. Thes. ii, p. 473, pl. 101, f. 97, 98.

Straits of Malacca.

- 11. A. frumenta, Sowb., Spec. C. pt. 1, p. 7, f. 3, 1830. C. Ic. pl. 6, sp. 25. Coq. Viv. p. 20, pl. 6, f. 5. Thes. ii, p. 474, pl. 101, f. 103, 104. *Hab.*—?
- 12. A. frutica, Ad., MSS. C. Ic. pl. 4, f. 16, 1865. Malacca.
- 13. A. lactea, Lam., An. sans Vert. vii, p. 368, 1822. C. Ic. pl. 1, f. 1. Coq. Viv. p. 8, pl. 6, f. 1. Thes. ii, p. 468, pl. 101, f. 67—69. Philippines.
- **14. A. margarita**, Sowb., Thes. ii, p. 469, pl. 101, f. 93, 94, 1855.

C. Ic. pl. 3, sp. 10. Coq. Viv. p. 11, pl. 6, f. 4. Philippines.

- 15. A. marginata, Sowb. (non Adams), Spec. C. pt. 1, p. 5, f. 15, 16, 1830.
  - C. Ic. pl. 2, sp. 8. Coq. Viv. p. 7, pl. 3, f. 1. Hab.—?
- 16. A. nubeculata, Ad. and Rve., Mol. Voy. Sam. p. 23, pl. 6, f. 12, 1850.

C. Ic. pl. 3, sp. 12. Thes. ii, p. 471, pl. 101, f. 80, 81. Eastern Seas. 17. A. ovum, Rumph., Amb. Rarit. pl. 38, f. Q, 1705.

O. ovum, Linn., Syst. Nat. p. 1181, 1767.
C. Ic. pl. 1, sp. 3. Thes. ii, p. 467, pl. 99, f. 1—3.

O. alba, Schum., Nouv. Syst. p. 258, 1817.

O. oviformis, Lam., An. du Mus. xvi, p. 110, 1811.

Moluccas.

**18. A. patula**, Pennant, Brit. Zool. iv, p. 117, pl. 70, f. 85, 1777.

C. Ic. pl. 7, sp. 30. Coq. Viv. p. 6, pl. 5, f. 4. Thes. ii, p. 479, p. 101, f. 105—113.

- O. Adriaticum, Sowb., Thes. ii, p. 470, pl. 99, f. 13, 14, 1855.

  Torbay—Sicily.
- 19. A. punetata, Duel., Guer. Mag. p. 7, pl. 7, f. 1, 1830.
  C. Ic. pl. 5, sp. 22. Coq. Viv. p. 13, pl. 5, f. 3. Thes. ii, p. 471, pl. 101, f. 90—92.
- **20. A. pudica,** Ad., Proc. Zool. Soc. p. 131, 1854. C. Ic. pl. 2, sp. 6. New Caledonia.
- 21. A. pyriformis, Sowb., Spec. C. pt. 1, p. 5, f. 21--23, 1830.
  C. Ic. pl. 2, sp. 9. Thes. ii, p. 470, pl. 101, f. 72, 73.

  New South Wales.

**22. A. pyrulina**, Ad., Proc. Zool. Soc. p. 131, 1854. C. Ic. pl. 4, sp. 19. New Caledonia.

- **23. A.** rhodia, Ad., Proc. Zool. Soc. p. 130, 1854. C. Ic. pl. 4, sp. 18.

  Japan.
- **24. A. scitula,** Ad., Proc. Zool. Soc. p. 131, 1854. C. Ic. pl. 6, f. 29. New Caledonia.
- 25. A. semistriata, Pse., Proc. Zool. Soc. p. 241, 1862.
  C. Ic. pl. 3, sp. 13. Am. Jour. Conch. iv, p. 96, pl. 11, f. Sandwich I.
- **26. A.** striatula, Sowb., Spec. C. pt. 1, p. 7, pl. 38, 1830. C. Ic. pl. 6, sp. 28. Thes. ii, p. 472, pl. 101, f. 84, 85. Batanzas—Philippine 1.
- **27. A.** tortilis, Martyn, (non Desh.), Univ. c. pl. 60, 1782. C. Ic. pl. 1, sp. 4.

O. angulosum, Lam., An. sans. Vert. vii, p. 367, 1822. Thes. ii, p. 467, pl. 99, f. 4, 5. Coq. Viv. p. 4, pl. 2, f. 1.

O. columba, Schub. et Wag., pl. 228, f. 4043-4.

O. costellata, Lam., An. du Mus. xvi, p. 110, 1810.

O. imperialis, Dilw., Cat. p. 473, 1817. E. Indies.

28. A. triticea, Lam., An. du Mus. xvi, p. 111, 1810.
C. Ic. pl. 4, sp. 15. Thes. ii, 474, pl. 100, f. 20, 21. Coq. Viv. p. 15, pl. 6, f. 3.
O. lepida, Dilw., Cat. p. 474, 1817.

29. A. umbilicata, Sowb., Proc. Zool. Soc. p. 135, 1848. C. Ic. pl. 3, sp. 14. Thes. ii, p. 469, pl. 101, f. 88, 89. Philippines.

#### Genus CALPURNUS, Montf.

Conch. Syst., 1810.

1. C. verrucosus, Linn., Syst. Nat. p. 1182, 1767. C. Ic. pl. 1, sp. 2. Coq. Viv. p. 5, pl. 2, f. 3. Thes. ii, p. 468, pl. 10, f. 78, 79.

Philippines.

#### Genus CYPHOMA, Bolten.

1798, teste Ad. Genera 1, p. 271.

- 1. C. emarginata, Sowb., Spec. C. pt. 1, p. 7, f. 54, 55, 1830. C. Ic. pl. 7, sp. 34. Coq. Viv. p. 18, pl. 3, f. 2. Thes. ii, p. 479, pl. 99, f. 11, 12. St. Elena.
- C. gibbosa, Linn., Syst. Nat. p. 1183, 1767.
   C. Ic. pl. 7, sp. 32. Coq. Viv. p. 17, pl. 2, f. 2. Thes. ii, p. 479, pl. 99, f. 15, 19. West Indies—Coast of Brazil.
- C. hordacea, Lam., An. du Mus. xvi, p. 112, 1810.
   C. Ic. pl. 8, sp. 37. Coq. Viv. p. 16, pl. 6, f. 6, 6\*. Thes. ii, p. 473, pl. 101, f. 110—112.
   E. Archipelago.
- **4. C. intermedia,** Sowb., Spec. C. pt. 1, p. 9, 1830. C. Ic. pl. 7, sp. 33. Coq. Viv. p. 25, pl. 4, f. 2. Thes. ii, p. 479, pl. 100, f. 61, 62. Brazil.
- C. Traillii, Ad., Proc. Zool. Soc. p. 222, 1855.
   C. Ic. pl. 8, sp. 38.

  Malacea.

#### Genus **VOLVA**, Bolten, 1798.

- 1. V. acicularis, Lam., (non Sowb.), An. du Mus. xvi, p. 102, 1810.
  - C. Ic. pl. 12, sp. 53. Thes. ii, p. 477, pl. 100, f. 43—46. Coq. Viv. p. 21, pl. 5, f. 2. W. Indies.
- 2. V. acuminata, Ad. and Rve., Mol. Voy. Sam. p. 21, pl. 6, f. 1, 1850.
  - C. Ic. pl. 8, sp. 35. Thes. ii, p. 276, pl. 100, f. 49, 50. *Eastern Seas*.
- **3. V. æquale**, Sowb., Proc. Zool. Soc. p. 174, 1832. Conch. Ill. Cat. Cyp. p. 18, f. 61.

- V. Angasi, Ad., MSS. C. Ic. pl. 10, sp. 43, 1865.
   Australia.
- V. Antillarum, Sowb., C. Ic. pl. 14, sp. 64, 1865.
   W. Indies.
- **6. V. arcuatum,** Sowb., C. Ic. pl. 13, sp. 58, 1865. *Hab.*—?
- 7. V. avena, Sowb., Proc. Zool. Soc. p. 173, 1832. Conch. Ill. Cat. Cyp. f. 59. St. Barbara—Panama.
- 8. V. birostris, Linn., Syst. Nat. p. 1182, 1767. C. Ic. pl. 10, sp. 45. Thes. ii, p. 480, pl. 100, f. 65, 66. Coq. Viv. p. 24, pl. 5, f. 1.

O. brevirostris, Schum., Nouv. Syst. p. 259, 1817.

- O. aperta, Sowb., Thes. 11, p. 478, pl. 101, f. 106, 107. Singapore.
- 9. V. Borbonica, Desh., Cat. Moll. I. Reunion, p. 136, pl. 13, f. 18—20, 1863.

  Bourbon.
- 10. V. Californica, Sowb., MSS., C. Ic. pl. 11, sp. 50, 1865. California.
- V. coarctata, Ad. & Rve., Mol. Voy. Sam. p. 21, pl. 6, f. 2, 1850.
   C. Ic. pl. 13, sp. 57. Thes. ii, p. 473, pl. 101, f. 108, 109. Str. of Sunda.
- V. deflexa, Sowb., Proc. Zool. Soc. p. 136, 1848.
   C. Ic. pl. 12, sp. 56. Thes, ii, p. 478, pl. 100, f. 37, 38.
   Ticao.
- 13. V. formicaria, Sowb., Spec. C. pt. 1, p. 8, 1830.
  C. Ic. pl. 12, sp. 52. Thes. ii, p. 476, pl. 100, f. 47, 48.
  Eastern Seas.
- 14. V. formosa, Ad. & Rve., Mol. Voy. Sam. p. 22, pl. 6, f. 6, 1850.
  C. Ic. pl. 8, sp. 39. Thes. ii, p. 474, pl. 101, f. 99, 100.

  Borneo.
- 15. V. gracilis, Ad. & Rve., Mol. Voy. Sam. p. 22, pl. 6, f. 11, 1850.
  C. Ic. pl. 13, sp. 61. Thes. ii, p. 481, pl. 100, f. 51, 53.

  Borneo.
- **16. V. Indica**, Sowb., C. Ic. pl. 11, sp. 47, 1865. *Bombay*.
- 17. V. inflexa, Sowb., Proc. Zool. Soc. p. 173, 1832. Conch. Ill. Cat. Cyp. p. 18, f. 60. Gulf of Dulce.
- **18. V. lanceolata,** Sowb., Proc. Zool. Soc. p. 135, 1848. C. Ic. pl. 13, sp. 59. *Philippines*.

- 19. V. livida, Sowb., C. Ic. pl. 14, sp. 63, 1865. Panama.
- **20. V. longirostrata**, Sowb., Spec. C. pt. 1, f. 46, 1830. C. Ic. pl. 9, sp. 40. Thes. ii, p. 481, pl. 100, f. 59, 60. Coq. Viv. p. 25, pl. 5, f. 5. Adriatic Sea.
- **21. V. neglecta**, C. B. Ad., An. Lyc. N. H. v, p. 255, 1852. C. Ic. pl. 14, sp. 62.
- **22. V. Nicænsis**, Risso, Eur. Merid. iv, p. 235, f. 150, 1826. *Mediterranean Sea.*
- **23. V. obtusa,** Sowb., Spec. C. pt. 1, p. 1, f. 34, 1830. C. Ic. pl. 7. sp. 31. Thes. ii, p. 475, pl. 100, f. 22—24. China.
- **24. V. Philippinarum**, Sowb., Proc. Zool. Soc. p. 136, 1848. C. Ic. pl. 10. sp. 46. Thes. ii, p. 481, pl. 100, f. 57, 58 *Philippines*.
- 25. V. purpurea, Risso, Eur. Merid. iv, p. 235, 1826.
- 26. V. recurva, Ad. & Rve., Mol. Voy. Sam. p. 21, pl. 6, 1850.
  C. Ic. pl. 12, sp. 54. Thes. ii, p. 481, pl. 100, f. 54—56. China Sea.
- V. rosea, Ad., Proc. Zool. Soc. p. 130, 1854.
   C. Ic. pl. 10, sp. 44.

  China Sea.
- **28.** V. rufa, Sowb., Proc. Soc. Zool. p. 173, 1832. Conch. Ill. Cat. Cyp. p. 17, f. 58. *Caraccas*.
- V. secale, Sowb., Spec. C. pt. 1, f. 36, 1830.
  C. Ic. pl. 14, sp. 66. Thes. ii, p. 475, pl. 100, f. 25—27.
  Eastern Seas.
- 30. V. seminula, Sowb., Spec. C. pt. 1, f. 40, 1830.
   C. Ic. pl. 11, sp. 48. Thes. ii, p. 475, pl. 100, f. 41, 42.
   Friendly Islands.
- V. similis, Sowb., Proc. Zool. Soc. p. 136, 1848.
   C. Ic. pl. 11, sp. 49. Thes. ii, p. 475, pl. 100, f. 28, 29.
   Hab.—?
- 32. V. spelta, Linn., Syst. Nat. p, 1182, 1767.
  C. Ic. pl. 10, sp. 42. Thes. ii, p. 480, pl. 100, f. 63, 64.
  Coq. Viv. p. 22, pl. 5, f. 4.
  Mediterranean Sea—Pacific Ocean.
- 33. V. subreflexa, Ad. & Rve., Mol. Voy. Sam. p. 22, pl. 6, f. 10, 1850.
  C. Ic. pl. 12, sp. 55. Thes. ii, p. 480, pl. 100, f. 33, 34.
  Bilaton.

- **34. V. subrostrata,** Sowb., Proc. Zool. Soc. p. 136, 1848. C. Ic. pl. 14, sp. 65. Thes. ii, p. 477, pl. 100, f. 39, 40. *Honduras*.
- 35. V. uniplicata, Sowb., Proc. Zool. Soc. p. 135, 1848.
  C. Ic. pl. 11, sp. 51. Thes. ii, p. 478, pl. 100, f. 30—32.
  So. Carolina—Georgia.
- **36.** V. variabilis, C. B. Ad., An. Lyc. N. H. v. p. 255, 1852. C. Ic. pl. 13, sp. 60.
- 37. V. volva, Linn., Syst. Nat. p. 1182, 1767.
  C. Ic. pl. 9, sp. 41. Thes. ii, p. 482, pl. 99, f. 6—8. Coq. Viv. p. 26, pl. 4, f. 1.



